» PRODUCT BROCHURE





»P12 PLUS«

SEMI LOWLOADER

~000



MIX AND MATCH FOR MORE FLEXIBILITY

The Goldhofer »P12 PLUS« is an innovative, flexible, and efficient transportation solution. Due to its modular design, it offers a PLUS of multiple combinations, allowing configuration for any project.





26,400 lbs

60°




- **YOUR** High adaptability
- - Multiple modular combinations
 - Innovative design offers optimal dead weight-to-payload ratio in any transportation configuration
 - Ease of operation
 - **n** Easy reverse driving with active automatic steering maximizing efficiency and time-savings


TECHNICAL + Axle load **FEATURES**

refer to 12-axle combination of the cover

- 281,000 lbs + Payload
- 3'7" (+1'4"/-8") [1,085 mm (+400 mm/-200 mm)] + Loading height
- + Axle compensation [600 mm] + Tires 245/70 R 17.5
- 9'10" [2,990 mm] + Vehicle width
- + Maximum steering angle

»P12 PLUS« MASTER OF THE HIGHWAY







DRAWBAR COMBINATION

Combination with intermediate and rear bogies for even bigger flexibility.

»P12 PLUS« 05



»P12 PLUS« COMBINATIONS

1. SEMITRAILER COMBINATIONS

Gooseneck with front bogie | rear bogie Payload 157,000 lbs [75t]



Gooseneck with front bogie | intermediate bogies | rear bogie Payload 223,000 lbs [101t]



Gooseneck with front bogie | 2 intermediate bogies | rear bogie Payload 281,000 lbs $^{[127\,t]}$



2. DROP DECK COMBINATIONS

Gooseneck with front bogie | excavator deck | intermediate bogie | rear bogie Payload 192,000 lbs $^{\rm [87\,t]}$



3. DRAWBAR COMBINATIONS

Drawbar | intermediate bogie | rear bogie Payload 119,000 lbs [54 t]



Drawbar | 2 intermediate bogies | rear bogie Payload 175,000 lbs [80 t]



4. LONG LOAD COMBINATIONS

Gooseneck with front bogie | 1 intermediate bogie | rear bogie | turntables Payload 192,000 lbs $^{[87\,t]}$



Gooseneck with front bogie | 2 intermediate bogies | rear bogie | turntables Payload 270,000 lbs $^{[122\,t]}$



Gooseneck with front bogie | 3 intermediate bogies | rear bogie | turntables Payload 326,000 lbs [148t]



5. EMPTY RETURN

Axles may be raised when empty (depending on state related regulations).





06 COMBINATIONS 07

Goldhofer



NORTH AMERICA'S LEADING PROVIDER OF TRANSPORT TECHNOLOGY EQUIPMENT

From small excavators to wind blades, compact transformers, bulky machinery to mining machinery and parts to petrochemical plants: Without a doubt, our vehicles are operation-oriented and optimally adapted to the respective requirements of your transport tasks.

GOLDHOFER INC.

7401 Riviera Boulevard, Miramar, FL 33023, USA Telephone: +1 954 433 5617, Fax: +1 954 433 5445 Web: www.flitelineusa.com, E-Mail: info.usa@goldhofer.com

GOLDHOFER AKTIENGESELLSCHAFT

Donaustrasse 95, 87700 Memmingen/Germany Telephone: +49 8331 15-0, Fax: +49 8331 15-239 Web: www.goldhofer.com, E-Mail: info@goldhofer.com

SALE

Telephone: +1 954-433-5617 E-Mail: info.usa@goldhofer.com

SERVICES AND SPARE PARTS

Telephone: +1 954-433-5617 E-Mail: parts.usa@goldhofer.com



www.goldhofer.com

01/2023-EN We reserve the right to make design alterations and changes in the sense of technical progress and on the basis of statutory regulations. Technical data in loaded vehicle condition.

MADE FOR YOUR MISSION